

Limited Stock Catalogue Products&Accessories







TSH202A 1-Wire temperature and humidity sensor

1-Wire Temperature and Humidity Sensor for cargo monitoring.

Compatibility: HCV5; LCV5; Pro5; Trace5; HCV5 Lite/Pro5 Lite; FM-Tco4 HCV; FM-Tco4 LCV; FM-Pro4; Eco Family.

Product Code: TSH202A



ELA BLUE PUCK MOV

Motion sensor used to detect motion or physical impact in areas where dust-tight, water-proof, or wireless long-range solutions are required.

Compatibility: HCV5; LCV5; HCV5 Lite/Pro5 Lite*, Pro5.

Product Code: BLUE_PUCK_MOV



Company card reader Omnikey 3021 (R30210315-1)

High-performance USB smart card reader in a small form factor for desktop as well as mobile usage. Easy-to-install USB device suited for all contact smart card operations.

Compatibility: HCV5; FM-Tco4 HCV.

Product Code: CM3021B



Power harness Eco4light Fuse Tap ATO 12-wire

Used to connect Eco4 light trackers directly to the fusebox. Compatibility: Trace5; Eco family.

Product Code: K00077



Product Code: BLUE_PUCK_MAG



D15N UFO Beacon

Product Code: D15N UFO

Fuse socket

0.80 Eur

Product Code: LAIK/PRO/MINI

25,00 Eur

LCV; FM-Pro4. Product Code: ZM-CAM30-FST

driver.



ELA BLUE PUCK MAG

Magnetic sensor used to detect opening and closing magnetic contact in areas where dust-tight, water-proof, or wireless long-range solutions are required.

Compatibility: HCV5; LCV5; HCV5 Lite/Pro5 Lite*; Pro5.

Used for wireless driver registration.

Compatibility: HCV5; LCV5; HCV5 Lite/Pro5 Lite*; Pro5.

Outdoor camera

RS232 cameras will allow you to get snapshots of what was happening at a particular time or event with the vehicle and

Compatibility: HCV5; LCV5; Pro5; FM-Tco4 HCV; FM-Tco4



Indoor camera

RS232 cameras will allow you to get snapshots of what was happening at a particular time or event with the vehicle and driver.

Compatibility: HCV5; LCV5; Pro5; FM-Tco4 HCV; FM-Tco4 LCV; FM-Pro4.

Product Code: ZM-CAM30-OD



ELA BLUE PUCK DI

Digital input sensor used for the wireless status transmission of connected accessories in areas where dust-tight, water-proof, or wireless long-range solutions are required.

Compatibility: HCV5; LCV5; HCV5 Lite/Pro5 Lite*; Pro5.

Product Code: BLUE PUCK DI



FMS harness with accessory wires (4 m)

Allows easy installation using FMS socket on HCV 4th generation devices (long cable 4 m). FMS to 12pin connector length-4 m. Accessory wires length 1 m.

Compatibility: FM-Tco4 HCV; FM-Pro4.

Product Code: K00063



9-Pin harness

Used to connect advanced 4th generation trackers to 9pin diagnostic port.

Compatibility: FM-Tco4 HCV; FM-Pro4.

Product Code: K00070





OBDII Harness for LCV 5th generation solution (CAN data reading, OBDII as power source) for cars built by PSA group (Citroen, Peugeot, Opel). Compatibility: HCV5; LCV5; HCV5 Lite/Pro5 Lite.

Product Code: K00094

0.50 Eur

wires (0,5 m)

connector length - 0,5 m. Accessory wires length 1 m. Compatibility: FM-Tco4 HCV; FM-Pro4. Product Code: K00062



3,66 Eur

Blue PUCK T

Product Code: X00974

OBD2 PSA harness (CS116-36)

Relay 24V

Ignition Block Relay (24v). Compatibility: HCV5; LCV5; Pro5; Trace5; HCV5 Lite/Pro5 Lite; FM-Tco4 HCV; FM-Tco4 LCV; FM-Pro4; Eco Family.

Product Code: Relay24V

FMS harness with accessory

Allows easy installation using FMS socket on HCV 4th generation devices (short cable 0.5 m). FMS to 12pin

Wireless temperature sensor for cargo monitoring.

Compatibility: HCV5; LCV5; HCV5 Lite/Pro5 Lite*; Pro5.



Fuse tap harness with Micro2 type fuse box

Used to connect Eco4Light series trackers directly from fuse-box.

Compatibility: Trace5; Eco Family.

Product Code: K00095



Wire 2x5, 0.5 m **WIRE-0325-A-TP**

Product Code: K00002



Eco4+ S and Eco4+ E S Signal cable 1,5 m

Regular cable harness for FM-Eco4 S series devices. Compatibility: FM-Eco4 S/T.

Product Code: K00101



Pitch 3.0mm 2x7 pins housing + Tin plating terminals Side 2: **Stripped & Tinned 4mm**

Product Code: K00079



Bluetooth RFID reader.

Not supported by Ruptela devices.

Product Code: X00930



OBD extender cable with cigarette lighter plug (0.4 m)

Cigarette lighter to OBD female adapter cable. Compatibility: FM-Plug4.

2,17 Eur

Product Code: K00042



Wires accessories (TEMPERATURE SENSOR SPLITER)

Product Code: ACTSSH101

2,27 Eur



Cable 500mm with diode (Ruptela5) PRO

Product Code: K00024

NBL-1 reader



FMS harness (0.5 m)

Allows easy installation using FMS socket on HCV 4th generation devices (short cable 0.5 m). No accesory wires available on 12 pin connector.

Compatibility: FM-Pro4; FM-Tco4 HCV; FM-Tco4 LCV.

Product Code: K00061



5th gen to 4th gen harness (CS116-32)

Adapter to swap 4th generation advanced devices with 5th generation advanced devices.

Compatibility: HCV5; LCV5; Pro5; HCV5 Lite/Pro5 Lite.

Product Code: K00088



Switch door sensor ME-8166

Door sensor.

Compatibility: HCV5; LCV5; Pro5; Trace5; HCV5 Lite/Pro5 Lite; FM-Tco4 HCV; FM-Tco4 LCV; FM-Pro4; Eco Family.

Product Code: ME8166



Push-to-talk

Allows you to call the tracking device and talk to the driver directly or with the help of the panic button.

Compatibility: HCV5; LCV5; Pro5; FM-Tco4 HCV; FM-Tco4 LCV; FM-Pro4.

Product Code: PTT01



ELA PUCK T EN 12830 with **COFRAC** certificates at 1 temperature point

Wireless temperature sensor for cargo monitoring. Compatibility: HCV5; LCV5; HCV5 Lite/Pro5 Lite*; Pro5.

Product Code: PUCK_T_EN12830_1



OBDII Splitter (Universal)

The OBD Splitter-Harness is used to install advanced trackers to passenger vehicles, light commercial vehicles, vans, pickup trucks, and other vehicles with OBD2 socket. Compatibility: HCV5; LCV5; HCV5 Lite/Pro5 Lite.

reach. Compatibility: FM-Plug4. Product Code: K00049

2.33 Eur





Product Code: K00096

OBD II straight angle extender with cable length 30 cm

Used for installations where the OBD2 socket is difficult to

USB to RS232 cable



Low profile Mini fuse tap harness

Used to connect Eco4Light series trackers directly from fuse-box.

Compatibility: Trace5; Eco Family.

Product Code: K00084



14pin harness with fuse for advanced 5th generation devices

Used to connect advanced 5th generation trackers to the vehicle.

Compatibility: HCV5; LCV5; Pro5; HCV5 Lite/Pro5 Lite.

Product Code: K00083

OBD2 harness

OBD2 harness for CANbus data reading. FM-Tco4 LCV

Product Code: K00068



3,84 Eur

3 wire power harness with fuse for Eco4 family 1 m

Used to connect Eco family trackers to the vehicle by using power, ground and ignition wires.

Compatibility: Trace5; Eco Family.

Product Code: K00059



Blue PUCK RHT

monitoring.

Product Code: X00975



2.55 Eur

0,76 Eur

OBD II straight angle extender with cable length 50 cm

reach.

Compatibility: FM-Plug4.

Product Code: K00050

Micro USB cable 0,5 m

Compatibility: HCV5 Lite/Pro5 Lite.

Product Code: K00100

1,47 Eur

Product Code: K00013

Wireless temperature and humidity sensor for cargo

Compatibility: HCV5; LCV5; HCV5 Lite/Pro5 Lite*; Pro5.

Used for installations where the OBD2 socket is difficult to

Mini USB cable 0,5 m

*Will be compatible early August



FMS harness with Y splitter for HCV5

The FMS harness with Y splitter is used to install HCV5 trackers to trucks, tractors and other vehicles using the FMS socket.

Compatibility: HCV5; HCV5 Lite/Pro5 Lite.

Product Code: K00107



Buzzer LD-BZPG-2312

Small audio signaling device that can alert the driver on various events, or can be used for driver behavior monitoring.

Compatibility: HCV5; LCV5; Pro5; Trace5; HCV5 Lite/Pro5 Lite; FM-Tco4 HCV; FM-Tco4 LCV; FM-Pro4; Eco Family.



Product Code: BUZ01



BAK-Q60 fuel filler security + Anti-theft strainer

The fuel filler security features an anti-theft strainer that will block access to the fuel tank via the filling hole, while not obstructing the fuel flow when refilling.

Compatibility: HCV5; LCV5; Pro5; Trace5; HCV5 Lite/Pro5 Lite; FM-Tco4 HCV; FM-Tco4 LCV; FM-Pro4; Eco Family.

Product Code: BAK-Q60



OBDII Splitter PRO5 standard

The OBD Splitter-Harness is used to install advanced trackers to passenger vehicles, light commercial vehicles, vans, pickup trucks, and other vehicles with OBD2 socket. Includes accessory wires.

Compatibility: HCV5; LCV5; HCV5 Lite/Pro5 Lite. Product Code: K00097



Product Code: Trace5 NA Promo Kit



Tablet car holder.

Product Code: X00990



12,55 Eur

Calibration cable set for Pro FLS

All calibration cables for Pro FLS calibration (consists of K00024, K00023, K00034).

Product Code: K00043

Power harness Eco4light Fuse Tap ATO

Used to connect Eco4Light series trackers directly from

Compatibility: Trace5; Eco Family.

Product Code: K00057

Trace5 NA Promo Kit

Tablet car holder



Easy wires for Easy Can

EasyCAN adapter for CANbus data reading with Easy wires. Compatibility: FM-Tco4 HCV; FM-Tco4 LCV; FM-Pro4.

Product Code: ACECH102



51

SH1252-H-06 Stripped & Tinned 10 mm cabl: UL2464 28AWG*10C

Product Code: K00005



Mifare RFID card reader **MF7-20**

Used for reading RFID cards and driver identification.

Compatibility: HCV5; LCV5; Pro5; FM-Tco4 HCV; FM-Tco4 LCV; FM-Pro4.

Product Code: MF7-20



PROMAG

32,00 Eur

Wires accessories (EASY CAN V)

EasyCAN adapter for J1708 CANbus data reading with Easy wires.

Compatibility: FM-Tco4 HCV; FM-Pro4.

Product Code: ACECVH101



8,10 Eur

Driver card reader HID Omnikey

Driver card reader. Compatibility: HCV5; FM-Tco4 HCV.

Product Code: CRD1

Trace5 OBD2 splitter harness

The OBD Splitter-Harness is used to install Trace5 trackers to passenger vehicles, light commercial vehicles, vans, pickup trucks, and other vehicles with OBD2 socket

Product Code: K00118

0012308354 107-5512

Product Code: MFA01A



0,90 Eur

Wires accessories **(TEMPERATURE SENSOR** EXTENDER)

Product Code: ACTSEH101

Compatibility: Trace5; Eco Family.

Mifare card MFA01A

Mifare RFID card for driver identification.



USB to mini USB cable 1 m

Product Code: X00903



RS232 cable for calibration

RS232 cable for FLS calibration.

Product Code: RS232_calib_cbl

Fuel tank cap





5,24 Eur

RFID card for 1-Wire 125 kHz readers

RFID card for driver identification.

Product Code: card rfid 1-wire



3.44 Eu

Power harness Eco4light Fuse Tap MINI

fuse-box. Compatibility: Trace5; Eco family.

Product Code: K00058

CS116-23

socket.

Product Code: FMS Y-splitter harness

TM1990A-F5+

Compatibility: HCV5; LCV5; Pro5; Trace5; HCV5 Lite/Pro5 Lite; FM-Tco4 HCV; FM-Tco4 LCV; FM-Pro4; Eco Family.

Product Code: TM1990A



0,95 Eur

WIRING HARNESS, Cable to DB-9 (Ruptela4) PRO

Product Code: K00023

Used to connect Eco4Light series trackers directly from

The FMS harness with Y splitter is used to install HCV5 trackers to trucks, tractors and other vehicles using the FMS

Compatibility: HCV5; HCV5 Lite/Pro5 Lite.

Dallas key iButton

iButton Key DS1990 with plastic holder.



BH150512

Product Code: K00019


Inventory SALLER All products and accessories

up to



Please contact your sales manager for orders and more details about the offer.

Offer and stock is limited. If interested, we advise you to contact your sales manager as soon as possible.



 $(\)$

31	К00049	OBD II straight angle extender with cable length 30 cm	231	2,33
32	К00034	USB to RS232 cable	350	1,47
33	K00084	Low profile Mini fuse tap harness	190	2,16
34	К00083	14pin harness with fuse for advanced 5th generation devices	398	1,22
35	K00068	OBD2 harness	29	3,84
36	K00059	3 wire power harness with fuse for Eco4 family 1 m	234	1,10
37	X00975	Blue PUCK RHT	6	23,20
38	К00050	OBD II straight angle extender with cable length 50 cm	188	2,55
39	КОО1ОО	Micro USB cable 0,5 m	390	0,76
40	КООО1З	Mini USB cable 0,5 m	168	1,47
41	K00107	FMS harness with Y splitter for HCV5	135	4,13
42	BUZ01	Buzzer LD-BZPG-2312	134	0,47
43	BAK-Q60	BAK-Q60 fuel filler security + Anti-theft strainer	1	93,60
44	K00097	OBDII Splitter PR05 Standard	26	8,45
45	K00057	Power harness Eco4light Fuse Tap ATO	198	2,09
46	Trace5_NA_Promo_Kit	Trace5 NA Promo Kit	6	36,25
47	X00990	Tablet car holder	84	12,55
48	К00043	Calibration cable set for Pro FLS	24	12,16
49	ACECH102	Easy wires for Easy Can	228	0,73
50	К00005	SH1252-H-06 Stripped & Tinned 10 mm cabl: UL2464 28AWG*10C	623	0,59
51	MF7-20	Mifare UID reader MF7-20	50	32,00
52	ACECVH101	Wires accessories (EASY CAN V)	204	0,73
53	CRD1	Driver card reader HID Omnikey	13	10,70
54	K00118	Trace5 OBD2 splitter harness	114	8,10
55	MFA01A	Mifare card MFA01A	154	0,90
56	ACTSEH101	Wires accessories (TEMPERATURE SENSOR EXTENDER)	95	4,26
57	X00903	USB to mini USB cable 1m	81	0,80
58	RS232_calib_cbl	RS232 cable for calibration	9	7,26
59	X00403	Fuel tank cap	11	5,24
60	card rfid 1-wire	RFID card for 1-Wire 125 kHz readers	28	0,83
61	К00058	Power harness Eco4light Fuse Tap MINI	30	1,84
62	FMS Y-splitter harness	CS116-23	1	3,44
63	TM1990A	Dallas key iButton TM1990A-F5+	237	0,95
64	K00023	WIRING HARNESS, Cable to DB-9 (Ruptela4) PRO	9	5,12
65	К00019	BH150512	340	1,60
		*Ouantities are a subject to change inlease contact our sales ma		